

Addendum

Brake Control

US Gear D-Celerator

2006 Cheetah



The information printed here reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name, which will result in comparable performance. All information printed in this document is subject to change after the date of printing. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within the owner's manual and/or this document may not be accurate at the time of your purchase. Please confirm any information with your dealer.

©Monaco Coach Corporation. All rights reserved. Safari® is a registered trademark of Monaco Coach Corporation. All other trademarks or registered trademarks are property of their respective holders. Brand name products of other companies mentioned in this addendum are not endorsed by Monaco Coach Corporation.

Early 2006 Cheetah models may have been pre-wired and equipped with a US Gear D-Celerator brake control. The following information still applies to those models. For models not so equipped, disregard the following information located in **Section 2 - Driving & Safety** on **page 33** of the 2006 Cheetah Owner's Manual.

Brake Control

The motorhome is pre-wired and equipped with a US Gear D-Celerator brake control. The brake control has adjustable gain settings with manual brake activation. The brake control also has a safety warning beeper that will sound should the tow harness become unplugged.

NOTE:

Refer to the OEM US Gear D-Celerator manual for complete operating and safety instructions.

WARNING:

Most states and Canadian provinces require trailers and/or towed vehicles to have adequate auxiliary brakes. Failure to comply with these State and Canadian province requirements may result in fines and/or pose a safety hazard, which may result in an accident.

Gain Control:

The gain control adjusts the amount of braking force applied. Adjust gain settings 1 through 9 so the towed vehicle appropriately applies sufficient braking force. Gain set to high will cause towed vehicle wheel skid. Once set, the braking force applied to the towed vehicle will mirror the amount of braking force of the motorhome. The result is smooth progressive proportional braking. The amount of braking action to the towed vehicle is reflected in the light bar display on the controller.

Manual Brake Activation:


The brake control is equipped with a manual lever to activate the towed vehicles brakes. Moving the lever will apply increasing force to the tow vehicles brakes. This manual lever can be used at slow speed (below 10 MPH) to ensure the system is working.

CAUTION:

Due to the weight of the motorhome and power of the engine, skidding wheels on a towed car will not be perceived from the cockpit of the motorhome.

INFORMATION:

The brake control is only part of the US Gear D-Celerator Unified Tow Brake System. Components not supplied by the motorhome manufacturer must be installed on the towed vehicle to complete system installation. These components can be obtained from National Parts at 1-877-466-6226.





MONACO®

Monaco Coach Corporation

91320 Coburg Industrial Way

Coburg, OR 97408

800-634-0855

www.monaco-online.com

Warranty/Technical Support

Toll Free 877-466-6226

